

Build Decks and PostFrame Buildings Faster

With Our Simple, Solid Footing System



10" and 12" FootingPad® for use with decks



Save Time. Less Wess. Less Hassle.

- Won't crack like concrete
- No mess or mixing of concrete
- No waiting for concrete to set up
- No extra equipment required

FootingPad meets the ICC-ES building code acceptance criteria (AC49).

Building Inspectors: FootingPad meets ICC code standards. For more information about testing and certifications, or to download the ICC-ES Evaluation Report, visit www.footingpad.com.



Tested by NTA Testing Laboratories in accordance with International Code Council Evaluation Service (AC49). Certified by ICC Evaluation Service (ESR-2147).



Each FootingPad® is made with a proprietary blend of recycled composite materials. The color of pads may vary.

NOTE: FootingPads can be used in most Type V construction (wood frame construction) subject to loading limits.







www.footingpad.com 800-522-2426

[®] AG-CO, Inc., Patent No. 7827747, Made in USA





FootingPad® - Available in 10", 12", and 16" sizes





Lightweight, Fast, & Easy

traditional poured concrete post installation: deck post loads, and saves hours of back-breaking unique design that is lightweight, evenly distributes FootingPad utilizes patented technology to create a work. Take a look at how FootingPad® compares to means to raise your deck in record time. The is engineered to provide the fastest, most economical The FootingPad® composite deck post footing system



FootingPad Light & Easy

10 lbs. - Easy! 10 FootingPads 10 post holes

- No additional labor
- No equipment rental
- Easy to install
- No wait time, construct



800 lbs. - Hard 10 bags concrete 10 post holes

- Messy, broken bags
- Labor to transport, carry, mix, and pour concrete
- Potential equipment rental
- 1 day lost with concrete




Structurally Sound and Code Compliant

Laboratories and certified by ICC-ES Evaluation They have been thoroughly tested by NTA Testing to replace concrete footings of equal diameter. FootingPads have been designed and engineered

code acceptance criteria (AC49). FootingPad® meets the ICC-ES building






Replaces Concrete Footings of Equal Diameter

a 6x6 size post. Allowable loads are determined by the type of supporting soil. 10", 12", and 16" FootingPads will support a 4x4 to

Total Allowable Loads (based on 3,000 psf soil capacity)

4,167 lbs.	16" FootingPad
2,355 lbs.	12" FootingPad
1,635 lbs.	10" FootingPad

Works With Most Any Post



Environmentally Friendly

your environmental footprint, while maximizing materials. structural integrity. FootingPad® is made in the USA composite footing system makes sense for minimizing In today's world of "green building," the FootingPad® from a proprietary blend of recycled composite

Made in the USA from





Recycled Material



Simple Installation

tollow the simple steps below: Installing your FootingPads couldn't be easier. Just

- **Step 1** At the required location (based on the structure's load are using, and deep enough to be below the local frost line slightly larger in diameter than the FootingPad® size you requirements and local soil capacity), dig the post hole
- Step 2 Clean out loose soil. Level the bottom of the hole with a shovel, pea gravel, etc., and compact
- Step 3 Place FootingPad® into hole smooth side down.
- Step 4 Position the post onto the pad.
- Step 5 Replace the soil around the post and compact while ensuring the post is straight.