

\*\*\*\*\* MATERIAL SAFETY DATA SHEET \*\*\*\*\*

WOOD BRIGHT PART B  
PRODUCT CODE: WD PDR B

Page: 1

\*\*\*\*\* SECTION I MANUFACTURER IDENTIFICATION \*\*\*\*\*

COMPANY NAME : MESSMERS INC.  
COMPANY ADDRESS: 9500 SOUTH HAWLEY PARK ROAD  
COMPANY ADDRESS: WEST JORDAN UTAH 84088

INFORMATION PHONE: (801) 569-2426 EMERGENCY PHONE: 1-800-424-9300

DATE PRINTED: 12/21/2009  
MSDS PREPARED BY: STEVE JENSEN.

\*\*\*\*\* SECTION II HAZARDOUS INGREDIENTS \*\*\*\*\*

REPORTABLE COMPONENTS	CAS NUMBER	VAPOR PRESSURE MM HG @ TEMP		WEIGHT PERCENT
OXALIC ACID	144-62-7	N/A	N/A	95 TO 100%
OSHA VPEL 1.000 MG/M3 - TWA				
OSHA VPEL 2.000 MG/M3 - STEL				
ACGIH TLV 1.000 MG/M3 - TWA				
ACGIH TLV 2.000 MG/M3 - STEL				

\*\*\*\*\* SECTION III HAZARDS IDENTIFICATION \*\*\*\*\*

HMIS CODES:                    HEALTH: 1  
                                  FLAMMABILITY: 1  
                                  REACTIVITY: 0  
                                  PERS. PROTECTION: F

PRIMARY ROUTES OF EXPOSURE: INHALATION, SKIN OR EYE CONTACT,  
INGESTION.

EFFECTS OF ACUTE OVEREXPOSURE:

INHALATION: EXPOSURE TO DUST MAY BE HARMFUL. SYMPTOMS MAY INCLUDE  
SEVERE IRRITATION AND BURNS TO THE NOSE, THROAT AND RESPIRATORY TRACT.



\*\*\*\*\* MATERIAL SAFETY DATA SHEET \*\*\*\*\*

WOOD BRIGHT PART B  
PRODUCT CODE: WD PDR B

Page: 3

-----  
IRRITATING CORROSIVE VAPOR OR MIST.  
-----

\*\*\*\*\* SECTION VI ACCIDENTAL RELEASE MEASURES \*\*\*\*\*

-----  
SPILL PROCEDURE: FOLLOW ALL LOCAL, STATE AND FEDERAL HAZARDOUS WASTE REGULATIONS REGARDING DISPOSAL OF WASTES. SWEEP UP MATERIAL FOR DISPOSAL OR RECOVERY.  
-----

\*\*\*\*\* SECTION VII HANDLING AND STORAGE \*\*\*\*\*

-----  
HANDLING: KEEP CONTAINERS CLOSED WHEN NOT IN USE, AND PROPERLY LABELED. DO NOT STORE IN METAL CONTAINERS.  
-----

STORAGE: NOT APPLICABLE.  
-----

\*\*\*\*\* SECTION VIII EXPOSURE CONTROLS / PERSONAL PROTECTION \*\*\*\*\*

-----  
PROTECTIVE EYEWEAR: NOT APPLICABLE.  
-----

PROTECTIVE GLOVES: CHEMICAL RESISTANT NITRILE, NEOPRENE OR RUBBER GLOVES REQUIRED FOR PROLONGED OR REPEATED CONTACT.

PROTECTIVE CLOTHING: WEAR PROTECTIVE CLOTHING TO PREVENT SKIN CONTACT

RESPIRATORY EQUIPMENT: NIOSH / OSHA APPROVED RESPIRATOR SUITABLE FOR MATERIALS LISTED IN SECTION II RECOMMENDED TO PREVENT THE INHALATION OF VAPORS OR SPRAY MISTS WHEN THE TLV OR PEL IS EXCEEDED.

CONTAMINATED EQUIPMENT: WASH CONTAMINATED CLOTHING / EQUIPMENT BEFORE REUSE OR DISPOSE OF PROPERLY

GENERAL PRECAUTIONS: NOT APPLICABLE.  
-----

\*\*\*\*\* SECTION IX PHYSICAL/CHEMICAL CHARACTERISTICS \*\*\*\*\*

-----  
PHYSICAL APPEARANCE: WHITE CRYSTALLINE POWDER, ODORLESS.  
-----

